

1/20




FIG. 1

2/20




FIG. 2

3/20




FIG. 3A

4/20




FIG. 3B

5/20




FIG. 4

[illegible]

FIG. 5

7/20




FIG. 6

[illegible]

FIG. 7

9/20




FIG. 8

10/20




FIG. 9




FIG. 9A

12/20





FIG. 10

13/20



The screenshot shows a web browser window with the title 'Microsoft Internet Explorer, provided by Hewlett-Packard'. The address bar displays the URL 'https://global21.csp.hp.com/7032/ViewPendingTransactionsRequest2-GetList'. The main content area features a table titled 'Pending Transactions'. The table has two columns: 'TRANSACTION ID' and 'ACH STATUS'. There are 13 rows of data, all with the status 'WAITING FOR APPROVAL'. The browser's status bar at the bottom shows '100%' zoom and various navigation buttons.

TRANSACTION ID	ACH STATUS
437	WAITING FOR APPROVAL
438	WAITING FOR APPROVAL
441	WAITING FOR APPROVAL
442	WAITING FOR APPROVAL
443	WAITING FOR APPROVAL
444	WAITING FOR APPROVAL
445	WAITING FOR APPROVAL
446	WAITING FOR APPROVAL
447	WAITING FOR APPROVAL
448	WAITING FOR APPROVAL
449	WAITING FOR APPROVAL
450	WAITING FOR APPROVAL
451	WAITING FOR APPROVAL

FIG. 11

The figure consists of seven subplots labeled (a) through (g), each representing a different iteration \$k\$ from 0 to 6. Each subplot shows a histogram of the number of non-zero elements in the vector \$\mathbf{x}_k^T \mathbf{A} \mathbf{x}_k\$. The x-axis for all plots ranges from 0 to 1500. The y-axis represents frequency, with scales varying between plots: (a) 0-8, (b) 0-10, (c) 0-10, (d) 0-10, (e) 0-10, (f) 0-10, and (g) 0-10. The distributions are roughly bell-shaped and centered around 1000, with some outliers at higher values.

FIG. 12

FIG. 12

[illegible]

16/20




FIG. 14

17/20

Review Logs: Microsoft Internet Explorer provided by Hewlett Packard

http://globe90.com/ha.com/7002/GetApprovedDetails?recipient=&request=GetApproved+Total

Approved Transaction Details

TransactionID: 444

Request Type	State	Tax Payer	Beneficiary	Debit	Credit	Pre-note
ACHTransferProceeds			Tax Wares	10000		NO
ACHCreditToState	ME	O.C.TANNER		1000		NO
ACHTransferToWashTaxpayer	WI	O.C.TANNER		10000		NO
ACHTransferProceeds			HP	10		YES
ACHCreditToState	KS	O.C.TANNER		1000		NO
Total Debit				10000		
Total Credit					12000	

TransactionID: 450

Request Type	State	Tax Payer	Beneficiary	Debit	Credit	Pre-note
ACHTransactionWithTaxpayer	KS	O.C.TANNER		12345678		NO
Total Debit				12345678		
Total Credit					0	

Back

FIG. 15

Software	Category
Oracle database	Database
Wu-ftp	Communication
sudo	Security
OpenSSH	Security
Commpress 2000 (encryption, digital signing, and compression)	Security
HP-UX 11.0	Operating System
Disk mirroring	Operating System
Ignite-UX	Utilities
Shell script	Utilities
cron	Utilities
uuidgen	Utilities
Java, JVM	Middleware
Web server (HTTP POST, SSL)	Middleware
WebLogic JSP/J2EE server 5.1	Middleware
JDOM XML Parser	Middleware
Saxon XSLT	Middleware
XML Convert 2	Middleware
SOAP	Middleware




FIG. 16

19/20




FIG. 17

26/20




FIG. 18




FIG. 19